

Rittal – The System.

Faster – better – everywhere.

Top-mounting module for TS – TS 8801.735

Date : Jun 20, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Top-mounting module for TS – TS 8801.735

created: 20.06.2017 on www.rittal.com/com-en



Product description

Description: As a cable chamber for cable infeed from above or for power distribution with busbar systems across bayed enclosures. The TS cover plate supplied as standard is used to finish off at the top.

Material: Sheet steel, 1.5 mm

Surface finish: Spray-finished, textured paint

Colour: Similar to RAL 7035

**Protection category
IP to IEC 60 529:** IP 55

**Protection category
NEMA:** NEMA 12

Assembly instruction: The top baying cover cannot be fitted

Supply includes:
Frame module
2 trim panels front/rear
8 retainers with automatic potential equalisation
4 tapped rods with eyebolts

Product features

To fit: Enclosure type: TS
Width: = 600 mm
Depth: = 600 mm

Dimensions: Height: 200 mm

Packs of:	1 pc(s).
Weight/pack:	12 kg
EAN:	4028177250482
Customs tariff number:	94039010
ETIM 6.0:	EC000744
ETIM 5.0:	EC000744
eCl@ss 8.0/8.1:	27182405
eCl@ss 7.0/7.1:	27182405
eCl@ss 6.0/6.1:	27182405
eCl@ss 5.1/5.1.4:	27182402
Product description (long):	TS Top-mounting module, for TS, for WD: 600x600 mm
Approvals	
Approvals:	UL + C-UL
Certificates:	EAC

2017 © Rittal GmbH & Co. KG